

EXHIBIT 4

BRIDGESTONE

MARCH 2014 | TRUCK TIRE DATA BOOK



Precisely The Right Tire.



BRIDGESTONE
Your Journey, Our Passion

R283 Ecopia®

Fuel-Efficient All-Position Radial



- Optimizes fuel efficiency by combining a low rolling resistance tread and casing design with energy saving proprietary sidewall compounds.
- Fights irregular wear with triple Equalizer Rib™ design and Defense Side Groove™ feature.
- Maximizes removal mileage and irregular wear resistance with a wider, deeper tread and proprietary shoulder design.

EPA SmartWay® verified
and CARB compliant.

Recommended Application

An all-position radial recommended for steer applications in:
Long Haul Service / Regional Haul Service

Replaces: Goodyear: G399A
Michelin: XZA3+

TECHNICAL DATA

Tire Size	Load Range	Material Number	Weight (lbs.)	Meas. Rim	Overall Diam.	Overall Width	Static Loaded Radius	Overall Width (Loaded)	Revs Per Mile	Tread Depth (32')	Max. Tire Load (Single)		Max. Tire Load (Dual)		Max. Speed (MPH)
											Kg/kPa	Lbs/PSI	Kg/kPa	Lbs/PSI	
R283 Ecopia®															
11R22.5	G	233-415	119	8.25	41.2	11.2	19.2	12.3	504	18	2800@720	6175@105	2650@720	5840@105	75
11R22.5	H	244-261	120	8.25	41.2	11.2	19.2	12.3	504	18	3000@830	6610@120	2725@830	6005@120	75
11R24.5	G	233-432	127	8.25	43.2	11.2	20.2	12.3	480	18	3000@720	6610@105	2725@720	6005@105	75
11R24.5	H	250-398	128	8.25	43.2	11.2	20.2	12.3	480	18	3250@830	7160@120	3000@830	6610@120	75
295/75R22.5	G	233-381	114	8.25	40.3	11.4	18.8	12.5	516	18	2800@760	6175@110	2575@760	5675@110	75
295/75R22.5	H	000-590	115	8.25	40.3	11.4	18.8	12.5	516	18	3250@830	7160@120	3000@830	6610@120	75
285/75R24.5	G	233-398	119	8.25	41.4	11.1	19.4	12.2	502	18	2800@760	6175@110	2575@760	5675@110	75
285/75R24.5	H	001-307	119	8.25	41.5	10.8	19.5	11.9	501	18	3075@830	6780@120	2800@830	6175@120	75

- All dimensions taken with tire on measuring rim.
- Loaded dimensions and RPM measured at maximum dual load.
- For load and inflation tables see pages 107 through 116.
- For minimum dual spacing and approved rim widths see page 90.
- For ply ratings see table on page 88.

- Based on rolling resistance and field mileage tests, Bridgestone Ecopia and Bandag FuelTech are our most fuel-efficient and lowest total cost of ownership tire and retread solution. Combining proprietary low rolling resistance technology with the industry's most retreadable casing, Ecopia and FuelTech can help reduce fuel use and extend tire life for lower costs and greener returns, when compared to other Bridgestone tires.
- BASys® data from over two million Bridgestone, Goodyear and Michelin brand casings recorded between June 2009 and November 2010 prove that Bridgestone had the lowest percentage of tires that could not be retreaded due to conditions relating to casing construction.

Bridgestone tires and tubes are subject to an ongoing development program. Bridgestone Americas Tire Operations, LLC retains the right to amend specifications at any time without notice or obligations. Please refer to rim manufacturer's load and inflation limits. Never exceed rim manufacturer's limits without the consent of the component manufacturer.